



Pressure / Temperature / Humidity / Air Velocity / Airflow / Sound level

CE

# ELECTRONIC THERMOMETER POCKET



This probe thermometer is an accurate electronic instrument with LCD screen to measure temperature.

# Wide range of application:

- · Air conditioning
- Food industry
- Agriculture
- Petrochemistry
- Automobile
- Photography
- Conservation

- Refrigeration
- Pharmaceuticals industry
- Production control
- Laboratory
- Heating and ventilation
- Energy management









#### MEASURING RANGE

Reference	Measurement unit	Measuring range	Resolution	Accuracy
Pocket	°C	From -40 to +200 °C	0.1 °C	±1 °C from -20 °C to +100 °C ±2 °C beyond
	°F	From -40 °F to +329 °F	0.1 °F	±1.8 °F from -4 °F to +212 °F ±3.6 °F beyond

#### **DESCRIPTION**

Display	7.5 x 21 mm	
Stainless steel probe	Length: 124 mm	
Operating temperature	From -20 °C to +50 °C	
Battery	1.5 V round battery	
Auto-off	5 minutes	
Dimensions	240 x 20 x 15 mm	
Weight	31 g	

#### Protective case

## Belt clip

## **USE**

- Press the ON/OFF key. Temperature is displayed.
- > Press the °C/ °F function key to modify the temperature measurement unit.
- > By pressing the **MODE** key, the measured temperature is held (**HOLD** display).
- > Press again the **MODE** key, the maximal temperature is displayed (**MAX** display).
- > Press again the **MODE** key, the minimal temperature is displayed (**MIN** display).
- > Press one last time the **MODE** key to restore the main menu.
- > It is possible to clear the minimal and/or maximal temperature from the memory:
  - Press the MODE key to access the MIN or MAX menu.
  - Press again the **MODE** key during 3 seconds.
  - When "---" is displayed, the MIN or MAX temperature is cleared.
  - Press one last time on the **MODE** key to restore the main menu.



# **WARNING**

The pocket keeps in memory the minimal and maximal values even after turning off the instrument. When a new measurement dataset is started, check the memory and clear the values recorded previously.

FTang - Pocket - 03/03 A RCS (24) Périgueux 349 282 095 Non-contractual document – We reserve the right to modify the characteristics of our products without prior notice.